TrafFix-RAIL™
FAMILY OF PRODUCTS

▲ *TrafFix*-CADE Modular Barricade System

TrafFix Devices Inc. Presents: *TrafFix*-RAIL™

***TrafFix*-RAIL** is the key component that made possible the creation of three revolutionary new barricades. These all-plastic, lightweight (0.8 lb/ft) barricade rails are a safe and durable alternative to conventional wood and metal barricade rails.

The ***TrafFix*-RAIL** family of products includes:

- ***TrafFix*-CADE**™, modular barricade system.
- ***TrafFix*-"A"-CADE**™, rigid A-frame barricade system.
- ***TrafFix* Type III**, breakaway barricade system.

▲ *TrafFix*-"A"-CADE Rigid A-Frame Barricade System

◀ *TrafFix* Type III
Breakaway Barricade System

The **BREAK** resistant ***TrafFix*-RAIL** has superior impact resistance and flexibility as compared to wood or metal rails. The unique **I BEAM** rail design protects the reflective sheeting from scratching and abrasion thereby maintaining its brightness longer.

▼ *TrafFix*-RAIL combines flexibility and durability.

TrafFix®
Devices Inc.

TrafFix, ***TrafFix*-RAIL**, ***TrafFix*-CADE** and ***TrafFix*-"A"-CADE** (patent pending) are trade marks of *TrafFix* Devices Inc.
Specifications subject to change without notice.

TrafFix-"A"-CADE

Accepts Plastic *TrafFix*-RAIL™ or Standard Wood Rail

This impact resistant polyethylene, rigid, A-frame barricade is sand fillable for ballasting, stackable for storage and transportation, and also accepts a standard barricade light. It can be used with a 1" x 8" or 2" x 8" nominal lumber size wood rail or the all-plastic *TrafFix*-RAIL.

▲ ***TrafFix*-"A"-CADE using 4, 6, 8, and 12 foot lengths of the all-plastic *TrafFix*-RAIL. Rails are lightweight but durable, easy to use and they stack for storage and transportation.**

***TrafFix*-"A"-CADES stack for storage and transportation.** ▼

***TrafFix*-RAIL's unique I beam design fits snugly in *TrafFix*-"A"-CADE leg.** ▼

Sand-fillable compartment holds up to 15 lbs of sand. ▼

▲ **I beam design keeps reflective sheeting from being scratched.**

***TrafFix*-"A"-CADE also accepts 1" x 8" or 2" x 8" nominal lumber of various lengths.** ▼

BREAKAWAY TYPE III BARRICADE
With Plastic *TrafFix*-RAIL™ and **RAIL CLIP** for Safety and Durability

▲ *TrafFix* Breakaway Type III Barricade utilizes the all-plastic *TrafFix*-RAIL and RAIL CLIP for mounting to wood, metal or plastic uprights. Complete Type III Breakaway Barricade is available using Unistrut's Telespar tubing with breakaway base, bracket and detachable feet.

▲ *TrafFix*-RAIL is made of flexible, impact resistant polyethylene for durability and safety.

▲ With the *TrafFix*-RAIL and CLIP System, a modular Type III Barricade can be built using any type of uprights and feet. *TrafFix*-RAIL is available in 4, 6, 8, and 12 foot lengths.

▲ Complete Type III Barricade can be assembled and disassembled in a matter of minutes by one person.

◀ RAIL CLIP can be used for mounting the *TrafFix*-RAIL on square tubing or any type or size of wood, metal or plastic uprights.

◀ Breakaway Base yields to impacting vehicles. Easily detachable feet allow for efficient transportation, assembly and storage.

TrafFix-CADE™
MODULAR BARRICADE SYSTEM
All-Plastic Linkable Barricade

▲ Modular Barricade can be used to enclose any size or shape excavation or work zone.

***TrafFix*-CADE** Modular Barricade System utilizes all-plastic *TrafFix*-CONES and *TrafFix*-RAILs to create linked or freestanding barricades or cones. *TrafFix*-CONES are 45" tall. *TrafFix*-RAILs have 8" wide reflective sheeting with right-hand stripes one side, left-hand stripes opposite side. They are available for mounting on *TrafFix*-CONES in 2, 3, 4 and 6 foot lengths.

2' or 3' rails can be used to make a freestanding Type I or Type II Barricade.

▲ 2' or 3' rails can be used to make a vertical panel barricade with a standard light.

▲ *TrafFix*-CONE can be used by itself or with a standard barricade light and reflective collar for night time use.

TRUCK KIT

TrafFix-CONE can be used with regulatory signs for temporary traffic control. Seven pound cone can be internally ballasted with up to 23 lbs of sand. ▶

▲ *TrafFix* Truck Kit shown here consists of 8 *TrafFix*-CONEs and 4 each of 2', 3', 4', and 6' *TrafFix*-RAILs. All rails are sheeted on both sides with alternating orange and white stripes -- left-hand stripes on one side, right-hand stripes on opposite side -- in engineer grade or high performance level reflective sheeting. *TrafFix*-Cones and RAILs stack for transportation and stroage.

Distributed By:

TrafFix® Devices Inc.

220 Calle Pintoresco, San Clemente, CA 92672

(714) 361-5663 FAX (714) 361-9205